



## EC-TYPE EXAMINATION CERTIFICATE

**Equipment or Protective System Intended for use  
in Potentially Explosive Atmospheres  
Directive 94/9/EC**

EC-Type Examination Certificate Number : **MECS02ATEX5093**

Equipment or Protective System: **TYPE 66MK1A COUPLER**

Manufacturer: **VICTOR PRODUCTS LIMITED**

Address: **Newcastle-upon-Tyne, NE27 0QF**

This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

The Electrical Equipment Certification Service, notified body number 600 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report N°

**00(C)0943 dated 12 March 2002**

Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

**EN 50014: 1997 + Amds 1 & 2**

**EN 50018: 2000**

except in respect of those requirements listed at item 18 of the Schedule.

If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.

This EC-TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified equipment or protective system. If applicable, further requirements of this Directive apply to the manufacture and supply of this equipment or protective system.

The marking of the equipment or protective system shall include the following:-

**I M 2**      **EEx d I**

This certificate may only be reproduced in its entirety and without any change, schedule included.

File No: EECS 1186/05/109

This certificate is granted subject to the general conditions of the Electrical Equipment Certification Service. It does not necessarily indicate that the apparatus may be used in particular industries or circumstances.



Electrical Equipment Certification Service  
Health and Safety Executive  
Harpur Hill, Buxton, Derbyshire, SK17 9JN, United Kingdom  
Tel: +44(0)1298 28000 Fax: +44(0)1298 28244  
internet: [www.baseefa.com](http://www.baseefa.com) e-mail: [baseefa.info.eecs@hsl.gov.uk](mailto:baseefa.info.eecs@hsl.gov.uk)



**I M CLEARE**  
**DIRECTOR**  
**2 May 2002**



**13 Schedule**

**14 EC-TYPE EXAMINATION CERTIFICATE N° MECS02ATEX5093**

**15 Description of Equipment or Protective System**

**Type 66MK1A Coupler**, rated at 6600V, 500A (maximum) comprising two half-couplers, as MECS02ATEX5092U, bolted together to form a single assembly.

**16 Report No.**

00(C)0943

**17 Special Conditions For Safe Use**

None.

**18 Essential Health and Safety Requirements**

Essential Health & Safety Requirements not covered by Standards listed at (9)		
Clause	Subject	Compliance
1.0.2	Analysis of possible operating faults	Considered as part of EN 50014 and EN 50018
1.0.3	Special checking and maintenance conditions	Manufacturer's Instructions
1.0.6	Instructions	Considered as part of EN 50014 and Manufacturer's Instructions
1.2.2	Components for incorporation or replacement	Manufacturer's Instructions
1.2.4	Dust deposits	Considered as part of EN 50014
1.2.5	Additional means of protection	Not applicable
1.2.7	Protection against other hazards	Not applicable
1.3.5	Hazards arising from pressure compensation	Not applicable
1.5	General requirements for safety devices	Not applicable
1.6.1	Manual override	Not applicable
1.6.2	Emergency shutdown	Not applicable
1.6.3	Hazards arising from power failure	Not applicable
1.6.5	Placing of warning devices as parts of equipment	Not applicable
2.0	Category M2	MECS Report No. 00(C)0621
2.1	Category 1	Not applicable
2.2.1	Category 2G	Not applicable
2.2.2	Category 2D	Not applicable
2.3	Category 3	Not applicable
3.	Requirements for protective systems	Not applicable





13

**Schedule**

14

**EC-TYPE EXAMINATION CERTIFICATE N° MECS02ATEX5093**

19

**DRAWING**

<b>Number</b>	<b>Sheet</b>	<b>Issue</b>	<b>Date</b>	<b>Description</b>
CA153	-	1	8.3.02	Type 66MK1A Coupler

This certificate may only be reproduced in its entirety and without any change, schedule included.

---

**BASEEFA** List Keywords  
1COUPLER